

# Commercial Upright Extractors

# Powr-Flite®



**The Best Value in  
Commercial Floor Care.**

800.880.2913

[www.Powr-Flite.com](http://www.Powr-Flite.com)

# Eight Different Models Creating

Powr-Flite has one of the most extensive lines of upright extractors available. Feature for feature, you won't find a more comprehensive line of upright extractors anywhere. We offer the features and power to handle any size job, from automobile detailing and residential cleaning to heavy-duty carpet cleaning. With this flexibility you can select the features you need for the types of jobs you do.

Our upright extractors raise the bar of flexibility and performance. You select the p.s.i. to fit your requirements or choose completely adjustable to 400 p.s.i., to clean everything from delicate upholstery to deep, embedded dirt on the grimmest carpet.

- Adjustable p.s.i. for the flexibility to go from drapes and upholstery to the dirtiest carpet.
- Heated for the extra benefit of hot water cleaning.
- High CFM for outstanding suction power with reduced dry times.



◆ Convenient tool caddy

◆ Independent motors, pump, and heater switches

◆ Heavy duty rubber latches

◆ Front mounted pressure gauge on 400 p.s.i. models



Clam shell design allows easy access to internal components.



# the Right Extractor for Any Job.

Dual-stack high-flow technology on HF models for outstanding suction power, cleaning ability, recover rate and dry time.



## Standard Features

- 13 gallon recovery tank
- 10.5 solution tank
- 100, 200 or 400 p.s.i. (adjustable on 200 and 400 p.s.i. models)
- Two 2-stage vac motors
- Large "stair climbing" wheels
- Dump valve at toilet level
- Removable see-through lid on recovery tank
- Front handle for easy maneuvering

## Heated Models

- 20 ft. Insider hose
- In-line 1750 watt heater
- Separate circuit and heat indicator lights, no blown breakers
- Front mounted pressure gauge on 400 p.s.i. HP and DX models
- Independent motors, pump and heater switches

## High CFM Models

- 201 CFM with high-flow technology
- Dual exhaust and input flow for increased suction
- Up to 200 p.s.i.
- Increased recovery over standard carpet systems
- 2000 watt inline heater on HHF and HPHF models

◆ Built-in fill tank hose

◆ Heater and circuit indicator lights

◆ Internal cooling fan on high pressure units


◆ Recessed brass connector



Dual pig-tail power cords on heated models for circuit overload protection.

Specifications PFX1300-	100 p.s.i. models				200 p.s.i. models		400 p.s.i. models	
	NW	HF-NW	H-NW	HHF-NW	HP-NW	HPHF-NW	DX-NW	HDX-NW
10.5 gallons Solution Tank	✓	✓	✓	✓	✓	✓	✓	✓
13 gallons Recovery Tank	✓	✓	✓	✓	✓	✓	✓	✓
p.s.i.	100	100	100	100	50-200	50-200	50-400	50-400
Dual Two-Stage Motors	✓	✓	✓	✓	✓	✓	✓	✓
In-Line Heater			1750 watt	2000 watt	1750 watt	2000 watt		1750 watt
cfm	97	201	97	201	97	201	97	97
Water Lift	160 inches	107 inches	160 inches	107 inches	160 inches	107 inches	160 inches	160 inches
Pump - UL Listed	Shur-Flo	PumpTec	PumpTec	PumpTec	PumpTec	PumpTec	PumpTec	PumpTec
20 ft. Vacuum/20 ft.Solution Hose	✓							
20 ft. Insider Hose System		✓	✓	✓	✓	✓	✓	✓
Non-corrosive Poly Mold Construction	✓	✓	✓	✓	✓	✓	✓	✓
Guillotine-style Dump Valve	✓	✓	✓	✓	✓	✓	✓	✓
360°, 2-1/2" swivel casters	✓	✓	✓	✓	✓	✓		
360°, 4" swivel casters							✓	✓
10" Rear Wheels	✓	✓	✓	✓	✓	✓		
12" Rear Wheels							✓	✓
Dimensions (W x L x H)	21"/36.5"/35.5	21"/36.5"/35.5	21"/36.5"/35.5	21"/36.5"/35.5	21"/36.5"/35.5	21"/36.5"/35.5	21"/36.5"/37	21"/36.5"/37
5 years housing, 1 year vacuum motor, pump and workmanship warranty	✓	✓	✓	✓	✓	✓	✓	✓
Weight	142 lbs.	145 lbs.	147 lbs.	149 lbs.	149 lbs.	149 lbs.	149 lbs.	161 lbs.

**Powr-Flite**  
**COMMERCIAL FLOOR CARE EQUIPMENT**



800.880.2913  
www.Powr-Flite.com