MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

Product Name HIGH CALIBER

CAS# Mixture

Product Use Aqueous high solids floor finish

Manufacturer Powr-Flite, A Division of Tacony Corporation

3101 Wichita Court

Fort Worth, TX 76140-1710

Emergency Telephone Number 1-800-424-9300

Company Contact 1-800-880-2913 or website <u>www.powrflite.com</u>

HMIS LEGEND

Severe 4
Serious 3
Moderate 2
Slight 1
Minimal 0



2. Hazards Identification

Emergency Overview Warning: Eye and skin irritant. Combustible. Harmful if swallowed.

Potential short term effects

Routes of exposure Eye, Skin contact, Inhalation, Ingestion.

Eyes May cause irritation.

Skin Contact with skin causes irritation.

Inhalation Excessive inhalation may cause respiratory tract irritation, headache, dizziness.

Ingestion Harmful if swallowed. May cause stomach distress, nausea or vomiting.

Target organs Eyes, Skin, Respiratory system.

Chronic effectsProlonged skin exposure can cause drying, defatting, or dermatitis. **Signs and symptoms**Product causes burns of eyes, skin, and mucous membranes.

Symptoms of over exposure may be headache, dizziness, tiredness, nausea and

vomiting

3. Hazardous Ingredients

The criteria for listing components in this section are: Carcinogens are listed when present at 0.1% or greater; components which are otherwise hazardous according to OSHA are listed when present at 1.0% or greater. Non hazardous components are not listed. This is not a composition disclosure.

Hazardous Components	CAS#	%(optional)
Tributoxyethyl phosphate	78-51-3	< 5%
Zinc ammonium carbonate	24012-08-	< 5%
Diethylene glycol methyl ether	111-77-3	< 5%
Dibutyl phthalate	84-74-2	< 2%

4. First Aid Measures

First Aid Procedures

Eye Contact Immediately flush with cool running water for 15 minutes. Remove contact lenses

if applicable. Get medical attention immediately.

Skin Contact Immediately flush with cool water for 15 minutes. Wash with soap and water. If

irritation persists, get medical attention.

Inhalation If symptoms develop, move to fresh air. If symptoms persist, get medical attention

Ingestion Rinse mouth with water. Drink one or two glasses of water. **Do not induce**

vomiting. Obtain medical attention. Never give anything by mouth to an

unconscious person.

Notes to Physician Symptoms may be delayed.

General advice Seek medical attention if feeling unwell. Show the MSDS to the physician in

attendance.

Page 1 of 4

5. Fire-fighting Measures

Combustible Flammable properties

Extinguishing media Foam, carbon dioxide or dry chemical.

Protection of firefighters Firefighters should wear protective clothing including self contained breathing

Hazardous combustion products Unusual Fire, Explosion hazards May include and not limited to oxides of carbon and oxides of phosphorous.

None known.

6. Accidental Release Measures

Personal precautions Keep unnecessary personal away. Do not touch or walk through spilled material.

Do not touch damaged containers or spilled containers unless wearing protective

Clothing. Stay upwind of spills or leaks.

Methods for containment Methods for cleaning up

Stop leak if you can do so without risk. Prevent entry into waterways, sewers. Before attempting clean up refer to hazard data given above. Use broom or dry vacuum to collect material for proper disposal without raising dust.Rinse area with water. Prevent large spills from entering sewers or water ways. Contact emergency personnel or supplier for advice. Never return spilled material to the

original container for reuse.

7. Handling and Storage

Use good industrial hygiene practices when handling this material. Do not get this Handling

material in your eyes, on your skin, or on your clothing.

Keep out of reach of children. Store in a cool dry place away from incompatible Storage

materials.

8. Exposure Controls and Personal Protection

Exposure limits Ingredients OSHA PEL ACGIH TLV

Tributoxyethyl phosphate Not available Not available Zinc ammonium carbonate Not available Not available Diethylene glycol methyl ether Not available Not available

5 mg/³ average 8 hours Dibutyl phthalate 5 mg/m³ average 8 hours

Engineering controls

Personal protective equipment

General ventilation normally adequate

Eve/Face protection Wear safety glasses with side shields.

Hand protection Rubber or nitrile gloves. Skin and body As required by employer code.

Respiratory protection

Use a NIOSH approved respirator when exposure guidelines are exceeded. General hygiene considerations Handle in accordance with good industrial hygiene practices. Do not eat or drink

when using product. Wash hands well before breaks and immediately after

handling the product.

9. Physical and Chemical Properties

Milky emulsion Appearance/form

Color White. Odor Mild acrylic 8.0-9.0 (100%) nН > 212° F (100° C.0 **Boiling** point

1.02-1.04 **Specific gravity Evaporation rate** Not available Vapor pressure Not available Vapor density Not available Solubility in water Dispersible Flash point > 181° F. (83° C.) VOC < 10% % Volatile Approx. 85%

10. Stability and Reactivity

Chemical StabilityStable under normal storage conditions.Conditions to avoidDo not mix with other chemicals.

Incompatible materials Strong acids, strong oxidizers, strong bases.

Hazardous decomposition products May include but not limited to oxides of carbon, oxides of phosphorous

Hazardous polymerization Will not occur

11. Toxicological Information

IngredientsLC50Tributoxy phosphateNot availableZinc ammonium carbonateNot availableDiethylene glycol methyl etherNot availableDibutyl phthalate25,000 mg/kg mice

IngredientsLD50Tributoxy phosphateNot availableZinc ammonium carbonate> 10000 mg/kg ratDiethylene glycol methyl etherNot availableDibutyl phosphate8-10 g/kg rat

Effects of acute exposure

EyeWill cause irritation.SkinCauses irritation.

InhalationExcessive inhalation may cause respiratory tract irritation, headache, dizziness.IngestionHarmful if swallowed. May cause stomach distress, nausea, or vomiting.

Sensitization Contains potential respiratory tract sensitizers.

Chronic effects Non hazardous.

Dibutyl phthalate Health effects can occur some time after exposure and can last for months or years

Carcinogenicity

Dibutyl phthalate Although tested, not classified as a potential carcinogen by IARC, NTP, or OSHA

Mutagenicity Non hazardous.

Reproductive effects

Dibutyl phthalate May damage the developing fetus. May damage the males testes.

Teratogenicity

Dibutyl phthalate May be a teratogen in humans.

12. Ecological Information

Eco-toxicity Components of this product have been identified as having potential

environmental concerns.

Environmental effects Not Available Not Available Aquatic toxicity Persistence and Degradability Not Available Bioaccumulation/accumulation Not Available **Partition coefficient** Not Available Mobility in environmental media Not Available **Chemical fate information** Not Available Other adverse effects Not Available

13. Disposal Considerations

Waste codes

Disposal instructions Wastes from residues/unused

Contaminated packaging

product

Not Available

Dispose in accordance with local, state, and federal regulations

Containerize. Rinse area with water. Keep out of storm sewer/waterways.

Dispose in accordance with all applicable regulations.

14. Transport Information

Basic shipping requirements:

Proper shipping name

Hazard class
UN number
Packing group
Special provisions
Packaging exceptions

Not DOT regulated

15. Regulatory Information

U.S federal regulations

This product has been classified in accordance with the Occupational Safety and

Health Administration hazard criteria and the MSDS contains all of the

information required by OSHA.

Irritant

HMIS classification Inventory Status

Countries Inventory Name

On Inventory (Yes/No)*

U.S. Chemical Inventory List Yes
Canada Domestic substances list Yes

• A "Yes" indicates that all of the components of this product comply with the inventory requirements administered by the governing country(s) listed.

16. Other Information

Disclaimer To the best of our knowledge, the information included herein is accurate.

However, neither the above named supplier nor any of its subsidiaries assume any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of the suitability of any material is the responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that

these are the only hazards that exist.

Issue date April 4, 2014 **Supersedes date** February 21, 2011

Reason for updateConform to OSHA update requirements

Expiration date April 4, 2017