Automatic Scrubbers

The Professional Choice for Floor Care Equipment



Economical, compact and lightweight the Predator 16 goes where other auto scrubbers can't!

You can cover more floor faster, finishing your stripping and cleaning jobs in record time. This 16 inch Predator scrubs and wet vacs all in one pass. The PAS16's narrow width makes it easy to use in more confining areas and it will effortlessly fit through non-standard doors. The PAS16 has easy to operate controls with a manual solution control. The convenient foot operated squeegee lift and brush control is simple to use, and the four-wheel design provides complete stability for climbing ramps and inclines. The PAS16 also features Powr-Flite's Silent Run vacuum motor technology, letting you clean in busy areas without disturbing workflow.

- 16" cleaning path that conforms to floor level
- 290 RPM pad speed
- Bone-dry squeegee system
- 75 ft. 14/3 heavy-duty cord
- Heavy-duty polyethylene housing and solution tank on non-corrosive steel frame



Control panel provides variable control for solution dispensing. Separate panel switches control wet vacuum and pad driver motors!



Model PAS20DX

20" Battery Powered

New and improved, our most popular auto scrubber surpasses the competition feature for feature!

The perfect size for medium to large size scrubbing jobs, the PAS20DX will clean 20,000 square feet per hour with a 20 inch cleaning path that fits easily through doorways and into tight spaces. Thick slurry is no match for the 3 stage suction motor that vacuums up the waste much easier than most automatic scrubbers. Maintenance is made simpler with easy access to batteries, vacuum motors and tanks, and with lifetime lubrication on the differential motor. The PAS20DX battery operated scrubber provides a run time of up to 5 hours for continuous scrubbing power.

- New 70% larger capacity solution and recovery tanks
- New 3 stage suction motor for super vacuum performance
- New electronic motion control in forward and reverse
- Separate motors for drive, vacuum, and brush
- Durable and long lasting with non-corrosive steel frame



Direct motor drive. Twin swivel casters, turn on a dime!

Cut maintenance time in half with the feature packed Predator 28...perfect for larger areas!

The 28 inch Predator has a remarkable 8 to 10 hours operating time. The PAS28DX is self-propelled with a direct drive system, meaning effortless work for the operator. Just set your solution rate and go—the machine does all the work in one easy pass and leaves the floor completely clean and dry! The conveniently positioned squeegee lift and brush controls at the feet put down and pick up the squeegee and brush in one easy step. The PAS28DX has exclusive safety control features including a automatic electromedrxxxial brake brake system and 10 speed variable drive to ensure the machine operates at the rate you desire.

- 28 inch cleaning path
- Self-propelled drive system
- Independent dual wheel drive in forward and reverse
- Dual motor brush operation
- Long lasting natural squeegee blades



Exclusive safety control features automatic brake system and 10 speed variable drive



Model PAS28R

28" Battery Powered Ride-On

Nothing beats the convenience of the Predator 28 ride-on model—the most maneuverable and easy to operate ride-on in the industry!

44,800 square feet per hour. That is the work rating of the Powr-Flite ride on PAS28R scrubber. The 28 inch cleaning path cuts through the dirt fast. And with a 4 to 5 hour total run time you can clean large areas without having to stop and recharge. You can get in and out of tight areas easily with dual wheel drive and swivel caster that turns on a dime. The narrow profile gets through doorways and cleans right up to the edge of walls and displays. The PAS28R has three separate motors for drive, vacuum and brush—each function works independently and at full power. With 10 speeds you have the flexibility for the easy jobs and the power for the tough ones!

- Narrow profile fits easily through doorways and allows perfect edge cleaning
- 4-5 hour run time means you get the biggest jobs done without recharging
- Self-propelled with direct drive for easy maneuverability
- Simple control panel includes: key lock, emergency shut-off, brush pressure control, vacuum and squeegee control
- Extra security with safety key lock



Simple easy to operate control panel with forward and reverse drive.



Dramatically reduce labor costs with the efficient, cost-effective Predator 32—big enough to handle any job!

Perfect for large warehouse jobs and large open areas, the Predator 32 has 24 gallon recovery and solution tanks, so you can clean non-stop without having to fill-up or empty the tanks. With an operation time of up to 8 hours, you will make more money in less time with half of the effort. The PAS32DX features a variable electronically managed pad pressure from 88 to 175 lbs., a keyed ignition for security and a parking break for safety. The PAS32DX does the work for you, getting the job done right the first time through.

- 32 inch cleaning path
- Electronic controlled brush pressure
- Independent dual transverse motor for forward and reverse
- Dual motor brush operation
- 44" natural squeegee blades



Offset brush housing design for up to the wall cleaning.



Model PAS40R

40" Battery Powered Ride-On

The most demanding jobs demand the big PAS40R - fully equipped to handle the biggest jobs!

The Powr-Flite PAS40R battery operated auto scrubber is designed specifically for large areas and features the convenience of ride-on comfort. Operators will be able to clean larger areas with fewer breaks and with less fatigue. The PAS40R is extremely simple to use and maneuvers easily around corners and other obstructions. The PAS40R provides the convenience of cleaning and drying in one simple pass. The curved 46 inch squeegee dries the floor even on tight turns. The PAS40R is built to last, providing maximum life with low operating cost. The rugged frame is made of 30/10 sheet steel with a polyethylene constructed housing. Safety features protect against misuse and accidents.

- 64,000 square feet per hour cleaning ratio
- 4-6 hours runtime
- Twin vacuum motors
- 46" curved squeegee
- 64,000 square feet per hour



Easy to reach safety features and controls



┝	_	-
Þ	-	
	=	₹
Ľ	=	4
ŀ	-	_
7		١.
ч	_	4
Т		
7	7	5
	_	ı
Ľ	=	,
G	Ŀ	
G		١.
-	_	1
H	Ξ	Ŧ
þ	=	Ī
Ę		Ī
г.		
г.		
г.		
г.		

Model Cleaning Sq. Ft. Per Hour Solution Tank Capacity Recovery Tank Capacity Cleaning Width Brush Diameter Brush Speed Brush Motor Squeegee Width Traverse Motor	PAS16 15,000 5.75 gallons 5.75 gallons 16 inches 16 inches 16 mches 290 RPM 1 hp-115V 12.6 amp. max. 26.5 inches na	PAS20DX 17,000 - 24,000 17 gallons 17 gallons 20 inches 20 inches 20 inches 21 resident dives 225 RPM 3/4 hp 24 volt 29.5 inches 24 volt, direct drive variable speed 3/4 hp / 24 v	PAS28DX 27,000 - 44,000 20 gallons 20 gallons 28 inches (2) 14 inches (110-155 lbs. 225 RPM (2) 1/2 hp 24 volt 40.5 inches 24 volt, direct drive, variable speed. lifetime lubucaxxx 3 stage, 3/4 hp/24 V	PAS28R 30,000 - 46,000 34 gallons 34 gallons 28 inches (2) 14 inches (2) 1/2 hp 24 volt 40.5 inches 24 volt 40.5 inches	PAS32DX 30,000 - 47,000 20 gallons 20 gallons 32 inches (2) 16 inches 110-155 lbs. 225 RPM (2) 1/2 hp 24 volt 45 inches 24 volt, direct drive, variable speed. lifetime lubucaxxx 3 stage 3/4 hp / 36 V
queegee Width raverse Motor	26.5 inches	29.5 inches 24 volt, direct drive variable speed	40.5 inches 24 volt, direct drive, variable speed. lifetime lubucaxxx	40.5 inches 24 volt variable speed	45 inches 24 volt, direct drive, variable speed. Iffetime lubucaxxx
Vacuum Motor	1.25 hp / 115V 8.0 amp. max- 96 cfm	3/4 hp / 24 v 66 cfm	3 stage, 3/4 hp/24 V 66 cfm (bypass)	3/4 hp/24 V 66 cfm (bypass)	3 stage 3/4 hp / 36 V 71 cfm / 125 cfm
Supply Voltage batteries not included	UL Listed (75 ft.) 14/3 STW/A	2-12 volt 160 A.h. deep cycle	4 - 6 V- 240 amp hr. deep cycle	4 - 6 V- 244 amp hr. 4 deep cycle , L305H,	4 - 6V - 240 amp hr. deep cycle
Battery Storage Area	na	14" x 13" x 9"	60" x 30" x 40"		21" x 16" x 16"
Continuous Run Time	unlimited	4 hrs	8 hours	6 hours	8 hours
Operating Time	unlimited	5 hrs. w /160 A.h. bat 3.0 hrs. w /120 A.h. bat	8 - 10 hours	6 - 10 hours	6 - 8 hours
Dimensions	39" x 18" x 36"	44" x 20" x 38"	60" x 30" x 40"	60" x 30" x 40"	60" x 30" x 40"
Operations Control	Rocker switched brush drive and vacuum	Security, safety key locked	Security, safety key locked	Security, safety key locked	Security, safety key locked
Warranty	10 yrs housing 1 year parts	10 yrs housing 1 year parts	10 yrs housing 1 year parts	10 yrs housing 1 year parts	10 yrs housing 1 year parts
Weight	110 lbs.	220 lbs.	330 lbs.	450 lbs	330 lbs.
Shipping Weight	140 lbs	250 lbs.	350 lbs.		350 lbs.



A Tacony Company
3101 Wichita Court Ft. Worth, TX 76140



800.880.2913 817.551.0719 fax www.Powr-Flite.com